





SMART

Home & Hospitality Solutions





# **Networking Switch**
















**Dimming Control** 



Curtain Control



AC Control



IR Transponder







### **Lighting Control**

Touch the switch, to control the light On / Off. With backlight indicator, easy operation and clear display.



## **Light Switch**

Appearance: Super-luxury design and different color choices
Personality delay: 15 seconds delay after removing the card
Flexible Control: Infrared remote control available
Brightness light-dimming: Meet different needs of light intensity





#### Features:


\* Touch panel design

\* LED back light Induction

\* Multi-way control

\* Gesture control

\* Scenario setting





TA-T100/ST Series









HR1000-GL



HR1000A-GL



HR1000-AL (Silver)



HR1000-AL (Black)



AXL-ST




AXL-LE













## **Light Switch**




SK-T2000L4-M

MCU processor	3.6864MHz MCU
Key	Can customize 1~5 bit touch keys
Current loading	Light switch : 4A Dimmer : 200W/400W
Dissipation power	1.2w
Service life	If contact is 240v, it is more than 100 thousand times for use while full load; touch panel keys can be
	one million times.
Operating temperature	-10°C~60°C
Operating humidity	At 50℃ 10%~95%RH
Environment	Transport and store temperature range:-20℃~80℃
Installation	Install to the standard BS4662 switch box with screw and thickening bracket.
Dimension	W86mm X H86mm X D42mm
Applicable	Incandescent lamp; Fluorescent lamp, 12v spotlight with transformer, 220v spotlight
Dimmer applicable	Incandescent lamp

### Dimmer

Dim the light to different brightness, providing you comfortable and warm atmosphere.










SK-T2300D1



SK-T2300D2



TA-100/ST-D1



TA-100/ST-D2



SK-T2000D1



SK-T2000D2



An Idea a Solution

Art and Creation of Smart Spaces

### Programmable Thermostats

7-Days programming --- allows you to program each day of the week separately.









SK-HV2000-M SK-HV2000-L


SK-HV2000-L

# Floor Heating Thermostat



#### Characteristic

- · Super-luxury design
  - · LED indication
- · Frost and over-heated protection
  - Energy saving control
    - · Simple operation





#### Smart Hotel & Home Solutions

#### Description

FM stereo, with automatic search function and large storage capacity for over 40 radio stations . Equipped with IPHONE, IPAD, IPOD TOUCH, USB interface, and can be for IPHONE, IPAD,

IPOD TOUCH Charging.

Easy to do the transfer to audio and video, simple operation.

Meet different tone requirements.


Support mobile phone bluetooth music play.

White color backlight design.

Perfect protection system, with overheating, overloading and short circuit protection.



#### Structure



### **PIR Sensor**

- . Infare sensor with 1 gang on / off control
- Time delay can be from 1 minute to 20 minutes
- Maximum 15 meters detecting distance
- Loads can be lights, fans, or other kinds of electrical devices



PIR sensor is to turn on / off the loads automatically by detecting person moving within a space .












Door Corridor Stairs Room Office






























What does "No Card Times" bring to us?









## **Sockets**



**UK Socket** 



Russian Socket



Germany Socket



5 Pin Universal Socket



Telephone Socket



Computer Socket



TV Socket



Telephone & Computer Socket



USB charger Switch



Media Switch



Shaver Switch



Sensor Switch



SOS Switch



Blank Switch



Doorbell Switch



Do Not Disturb Make Up Room




### **Access Control**

### AS-X5 Control Unit

X5 is an access control device for single door or specific entrance with card reader inside, keyboard and electric lock controller, providing Mifare S50 non-contacting cards unlock function together with code. Furthermore, it is easy operation with access records checking, ID card data backup /recovery and LCD display functions.

Combined with access control software, X5 offers permission setting and management, supervisory control and data acquisition, realizing access control automation and scientific security management. X5, easy installation and excellent scalability, is widely used in Bank, office, computer room, Intelligent Community, Hospital, Hotel, Factory and so on.





AS-X5

## Soft Touch Switch

Stainless steel frame.


Luxuriant and practical

Luxurious



# **Solution Reference**






Light Ajustment Adjusting the Light Intensity & Darkness Valves

Curtain Control Intelligent Control for Curtain Opening Up




# **Outline Frame**




The frame uses glass, metal, logs, leather material, can adapt to different style design.


### **Ergo E86x86mm SWITCHES**

#### Metal Frame:





### Acrylic Frame:



#### PC Frame:



#### Successful Cace

After many years of growth, our company has equipped itself with advanced production equipment and a whole set of producing assembly lines when undergoing constant development and expansion in such aspects as product innovation, quality control and market share. With many hotel group and system integrators to establish long-term cooperative relationship.















swissôtel









### **HOME & HOSPITALITY SOLUTIONS**

United States 21223 Willow Fork Ct 77450, Katy, TX

Mexico City Avenida Ejército Nacional 418, Miguel Hidalgo, Chapultepec Morales, 11570 Ciudad de México, CDMX

T-. (México): +52 (55) 3145 5479 T-. (Houston): +1 (832) 899 0758